

Notice of Allowability	Application No.	Applicant(s)
	10/711,222	CONRAD ET AL.
	Examiner Jonathan Moffat	Art Unit 2863

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS**. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. This communication is responsive to 8/15/2006.
2. The allowed claim(s) is/are 1-19.
3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) All
 - b) Some* c) None of the:
 1. Certified copies of the priority documents have been received.
 2. Certified copies of the priority documents have been received in Application No. _____.
 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) hereto or 2) to Paper No./Mail Date _____.
 - (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. Notice of References Cited (PTO-892)
2. Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. Information Disclosure Statements (PTO/SB/08),
Paper No./Mail Date _____
4. Examiner's Comment Regarding Requirement for Deposit
of Biological Material
5. Notice of Informal Patent Application
6. Interview Summary (PTO-413),
Paper No./Mail Date _____.
7. Examiner's Amendment/Comment
8. Examiner's Statement of Reasons for Allowance
9. Other _____.

DETAILED ACTION

Response to Amendment

Applicant's amendments to the claims, filed 8/15/2006, are accepted and appreciated by the examiner. Applicant has amended the claims and added new claim 19. In response to these amendments and in light of the following examiner's amendment, all previous grounds for rejection of the claims are withdrawn.

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with John Sensny on 9/8/2006.

The application has been amended as follows:

In claim 1, on the first line, please replace the word "calibrating" with the word "determining".

In claim 1, please replace the period ":" from the last line of the claim and replace it with "e. Using said determined grid parameters to calibrate the photolithographic tool."

In claim 8, please replace the period ":" from the last line of the claim and replace it with "i. Using said determined grid parameters to calibrate the photolithographic tool."

Examiner's Reasons for Allowance

The following is an examiner's statement of reasons for allowance:

The applicant's claims are distinguished from the prior art of record for the reasons stated in the previous office action and as presented in applicant's response filed, 8/15/2006. Specifically, the applicant's claimed invention is distinguished from the prior art of record for the means for and steps of determining grid magnification and rotation parameters of the wafer stage independent of the field parameters. Prior art of record has disclosed nearly identical steps for locating artifacts outside the wafer and using the measured distance between them in conjunction with the known actual distance between them to determine the true alignment of both the wafer and the photolithographic mask. The examiner herein presents the following new references which are the closest known art to the claimed invention: Tolsma (US pat pub 20050254030), Smith (US pat 6906780), and Oka (US pat 5976737) which are presented in addition to all previously noted prior art. None of these, either alone or in combination, disclose or suggest the determination of grid magnification and rotation of the wafer stage without the use of field parameters.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion


Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jonathan Moffat whose telephone number is (571) 272-2255. The examiner can normally be reached on Mon-Fri, from 7:30-4:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, John Barlow can be reached on (571) 272-2269. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

9/8/06

JM


John Barlow
Supervisory Patent Examiner
Technology Center 2800